

Package: WrapRmd (via r-universe)

October 16, 2024

Title RStudio Addin for Wrapping RMarkdown Paragraphs

Version 0.0.0.9006

Description Provides an RStudio addin for wrapping paragraphs in an RMarkdown document without inserting linebreaks into spans of inline R code.

License MIT + file LICENSE

Depends R (>= 3.1.0)

Imports commonmark, rstudioapi, stringi, stringr (>= 1.0.0), magrittr, knitr

Suggests testthat

LazyData true

RoxygenNote 7.3.1

Encoding UTF-8

Roxygen list(markdown = TRUE)

Repository <https://tjmahr.r-universe.dev>

RemoteUrl <https://github.com/tjmahr/WrapRmd>

RemoteRef HEAD

RemoteSha b36c24caefd53d002e5233941085b42e6180d0fa

Contents

knit_selection_addin	2
str_rmd_wrap	2
WrapRmd	3
wrap_rmd_addin	3

Index	4
--------------	----------

knit_selection_addin *Run selection through knitr and commonmark*

Description

Call this addin to preview output of an R markdown selection.

Usage

```
knit_selection_addin()
```

str_rmd_wrap *Wrap text but don't insert lines breaks into inline R code*

Description

Wrap text but don't insert lines breaks into inline R code

Usage

```
str_rmd_wrap(string, width = getOption("WrapRmd.width", 80))
```

Arguments

`string` a string to wrap
`width` desired line width. Defaults to `options("WrapRmd.width")`.

Details

This function finds all inline R code spans in a string, replaces all non-word characters in the R spans with "Q"s, re-wraps the string, and restores the original inline R spans.

This function preserves blank lines between paragraphs.

Value

a wrapped copy of the string

WrapRmd

WrapRmd

Description

Provides an RStudio addin for wrapping paragraphs in an RMarkdown document without inserting linebreaks into spans of inline R code.

Author(s)

Maintainer: Tristan Mahr <tristan.mahr@wisc.edu>

Other contributors:

- Shir Dekel <shirdekel@yahoo.com.au> ([ORCID](#)) [contributor]

wrap_rmd_addin

Wrap text but don't insert lines breaks into inline R code

Description

Call this addin to wrap paragraphs in an R Markdown document.

Usage

```
wrap_rmd_addin()
```

Details

The maximum line width can be set via `options(WrapRmd.width)`. Further fine tuning can be done via options “WrapRmd.smart” and “WrapRmd.extensions”, which are passed down to [markdown_commonmark](#).

Index

`knit_selection_addin`, [2](#)

`markdown_commonmark`, [3](#)

`str_rmd_wrap`, [2](#)

`wrap_rmd_addin`, [3](#)

`WrapRmd`, [3](#)

`WrapRmd-package (WrapRmd)`, [3](#)